



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/803,591

03/17/2004

James Faulhaber

2620.001

7352

21917 7590 06/29/2007  
MCHALE & SLAVIN, P.A.  
2855 PGA BLVD  
PALM BEACH GARDENS, FL 33410

EXAMINER

STINSON, FRANKIE L

ART UNIT

PAPER NUMBER

1746

MAIL DATE

DELIVERY MODE

06/29/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

# Office Action Summary

Application No.

10/803,591

Applicant(s)

FAULHABER

Examiner

FRANKIE L. STINSON

Art Unit

1746

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 04 May 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1 and 10 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☐ Claim(s) \_\_\_\_\_ is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)


- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

Art Unit: 1746

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Japan'964 (Japan 8-84964) in view of Anderberg et al. (U. S. Pat. No. 4,095,746)



Re claims 1 and 10, Japan'964 discloses in a portable surface cleaning machine for moving over a surface to be cleaned and producing a pressurized cleaning spray directed onto the surface, said machine including an elongated spinner bar (24) having a first end, a second end, and a rotary mount (15) there between, said spinner bar constructed and arranged to rotate in a plane parallel to the surface to be cleaned, the improvement comprising a first array of spray nozzles (see figs. 1 and 2) at said first end and a second array of spray nozzles at said second end, said first array and said second array each having an outermost nozzle and at least one inner nozzle, said

Art Unit: 1746

outermost nozzle inclined at a first angle with respect to said plane and said at least one inner nozzle inclined at a second angle with respect to said plane for producing rotation of said spinner bar with the nozzle being longitudinal arranged, that differs from the claims only in the recitation of the first nozzle being inclined rearward as claimed and the inner nozzle being positioned in proximity to said outer nozzle so that a portion of the spray pattern produced by said at least one inner nozzle overlaps a portion of the spray pattern produced by said outermost nozzle during rotation of the spray bar. It is understood that the nozzle 43 in Japan'964 is adjustable. It is the examiner's position, that when the nozzle is adjusted as positioned above, the structure reads on the claimed limitations minus the overlapping spray. Anderberg is cited disclosing the arrangement of providing the overlapping spray pattern as claimed. It therefore would have been obvious to modify the spray pattern of Japan'964, to overlapping sprays as taught by Anderberg, since this is considered to be an obvious rearrangement of parts and since Japan'964 recognizes the pattern can be changed to best suited for effective/efficient cleaning.

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Poppitz, note the spray nozzle.

4. Applicant's arguments with respect to the pending claims have been considered but are moot in view of the new ground(s) of rejection.

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to FRANKIE L. STINSON whose telephone number is (571) 272-1308. The examiner can normally be reached on M-F from 5:30 am to 2:00 pm and some Saturdays from approximately 5:30 am to 11:30 am.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr, can be reached on (571) 272-1700. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should

Application/Control Number: 10/803,591

Page 5

Art Unit: 1746

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

fls



FRANKIE L. STINSON  
Primary Examiner  
GROUP ART UNIT 1746